D12-103

Received
Oct. 8, 1968

PROWLER®

TRAVEL TRAILERS



PROWLER® **This year's PROWLER is a new breed of cat.**

It's longer, sleeker, tougher than ever . . . sure-footed enough to go along wherever your search for adventure takes you. Plans range from 15 to 20 feet and sleep families up to 6. Most models are available fully self-contained for convenience in the most remote areas.



MODEL 15½—LOW PROFILE CUSTOM

Front dinette; Rear gaucho; Side kitchen; Rear folding bunk; Six sleeper.
Tire size: 600 x 13 - 4 Ply.
Approx. gross weight: 1500 lbs.
Approx. hitch weight: 135 lbs.
Outside height: 90 in.
Overall length: 15' 4"
Overall width: 6' 6"
100 lb. Ice box (optional refrigerator — before production only).
Vented plastic water storage tank W/hand pump.



MODEL 17—SELF CONTAINED

Front dinette; Side gaucho; Side kitchen; Rear bath; Front folding bunk; Six sleeper.
Tire size: 775 x 15 - 6 Ply.
Approx. gross weight: 2650 lbs.
Approx. hitch weight: 380 lbs.
Outside height: 99 in.
Overall length: 17' 4"
Overall width: 7' 9"
3½ Cu. ft. (rated) butane/electric refrigerator.
10,000 BTU wall heater W/unitrol.
12 Volt recirculating toilet.
12 Volt air compressor.
Double stainless steel sinks.

"LUXURY UNLIMITED" is the essence of PROWLER's dramatic new interiors. An impressive line of built-in appliances, an abundance of sitting and work areas are featured in two basic themes. "Floral Desert" features rich earth tones with highlights of avocado and gold. The "Tahitian Sea" motif blends blues and greens.



MODEL 18—SELF CONTAINED

Front gaucho; Side dinette; Side kitchen;
Rear bath; Front folding bunk;
Six sleeper.
Tire size: 700 x 15 - 6 Ply.
Approx. gross weight: 2960 lbs.
Approx. hitch weight: 425 lbs.
Outside height: 99 in.
Overall length: 18' 3"
Overall width: 7' 9"
3½ Cu. ft. (rated) butane/electric refrigerator.
10,000 BTU wall heater W/unitrol.
12 Volt recirculating toilet.
12 Volt air compressor.
Double stainless steel sinks.



MODEL 20—SELF CONTAINED

Twin bed; Side dinette; Side kitchen;
Rear bath; Front overhead cabinet;
Four sleeper; Tandem axle.
Tire size: 775 x 15 - 4 Ply.
Approx. gross weight: 3050 lbs.
Approx. hitch weight: 300 lbs.
Outside height: 99 in.
Overall length: 20' 4"
Overall width: 7' 9"
5 Cu. ft. (rated) butane/electric refrigerator.
16,000 BTU wall heater W/unitrol.
12 Volt recirculating toilet.
12 Volt air compressor.
12 Volt range hood & light.
Double stainless steel sinks.

PROWLER INDUSTRIES, INC.
P.O. Box 3400, Anaheim, California 92803

PROWLER®
TRAVEL TRAILERS

A subsidiary of Fleetwood Enterprises, Inc.

PROWLER INDUSTRIES OF OREGON, INC.
P.O. Box 1247, Pendleton, Oregon 97801

SELF-CONTAINED SYSTEM

TOILET:

All PROWLER self-contained trailers are equipped with a 12 volt recirculating toilet, similar to the type on jet airliners. They operate efficiently on a trickle of current supplied from either the car electrical system or optional auxiliary battery installed on the hitch. A holding tank is not needed for average use as the 80-use capacity is sufficient for most trips to remote areas. An optional holding tank is available, before production only, which provides for hundreds of uses on extended trips.

APPLIANCES:

The appliances in all PROWLER self-contained models operate on butane gas. The refrigerator operates either on butane or 110 volt power for "in park" operation. The fast recovery butane water heater provides hot water for both kitchen and bath. Preparing meals on the butane range and oven is very similar to cooking with home-type appliances. The butane wall heater with "unitrol" thermostat supplies heating comfort with a wide range of control settings for cool climate or winter use. The 12 volt fluorescent light operates efficiently on power supplied from the car or auxiliary battery.

Other features included in all PROWLER self-contained models are: Two five gallon butane tanks. Battery rack and plastic case. Shower with flexible chrome riser. Lavatory (optional on 17 self-contained). 28-gallon pressurized water storage tank. 12-volt air compressor. Hose carrier bumper.

With this complete self-contained system you can conveniently travel anywhere and stay longer with complete confidence and comfort.

GENERAL SPECIFICATIONS

CHASSIS:

Heavy duty steel chassis with formed bumper (hose carrier bumper on self-contained models). Name brand, first line tires. Electric brakes and brake control kit with break-away safety device. Rugged axle and spring assemblies. Tandem axle on Model 20.

FLOOR:

Double floor construction featuring all-aluminum sub-floor, fully insulated with fiberglas. Metal wheel wells.

SIDEWALL:

Double wall construction of select lumber. Insulated with blanket type fiberglas insulation. Prefinished vinyl paneling.

ROOF:

Rafters are constructed of select lumber structurally located to add strength and provide efficient drainage. Prefabricated one piece aluminum roof with ventilator(s), insulated with blanket type fiberglas insulation.

EXTERIOR:

Prefinished aluminum with colorful feature panels. Awning rail. Assist handle at entry. Large ventilating windows. Five gallon butane tank w/regulator (dual five-gallon tanks on self-contained models). Weather sealed aluminum entry door with sliding window and screen. Exterior storage door. Embossed aluminum rockguard panel. Fiberglas rockguard awning. (Opt. Model 15½).

INTERIOR:

PROWLER's decorator designed interiors include: Deluxe upholstery fabrics. Custom quilted, zippered cushions of five inch polyfoam in dinette cushions. Color blended draperies. Pre-finished vinyl paneling and cabinetries. Front overhead bunk (optional Model 20). Hollow core doors and drawers with custom shaped edge. Distinctively styled cabinet hardware and light fixtures. Aluminum shower stall. High pressure laminate counter, back splash and table tops. Two separate lighting systems, 110 volt and 12 volt including a 12 volt fluorescent light with conveniently located wall receptacles. Built-in spice shelf. Vented range hood. Vinyl floor covering. Butane/electric refrigerator (optional in 15½ model). Built-in range and oven. Stainless steel sinks. Roomy wardrobes.

Each PROWLER is built to meet or exceed the requirements of American Standards Association Code 119.2, California Division of Housing Code, and Federal Motor Vehicle Safety Standards.

Prices and Specifications Subject to Change Without Notice

MHMA TCA

Printed in U.S.A.

4